



# NEW PRODUCT CATALOG

- Office Address: 19F, KaiLi building, no. 608 Dapu Road, Baiguan Street, Shangyu District, Shaoxing City, Zhejiang Province, China  
办公室地址: 浙江省绍兴市上虞区百官街道大普路608号凯利大厦19楼
- Factory address: Fenghui industrial area, Shangyu district 312361, Shaoxing City, Zhejiang province, China  
工厂地址: 浙江省绍兴市上虞区丰惠工业园区
- Postal Code: 312300
- Tel: 086-0575-82119758
- Email: [cathy@srsrollonbottle.com](mailto:cathy@srsrollonbottle.com) / [sunrisepkg@vip.163.com](mailto:sunrisepkg@vip.163.com)
- Web: [www.srsrollonbottle.com](http://www.srsrollonbottle.com)
- Mobile/Wechat/Whatsapp: 0086-13967532327



包装美丽生活

P A C K A G I N G   B E A U T I F Y   L I F E

# 公司简介

## COMPANY PROFILE

上虞圣瑞斯包装有限公司坐落于浙江上虞，距宁波港120公里，上海港220公里，交通便利。


圣瑞斯专业生产滚珠瓶/走珠瓶。公司技术团队拥有超过10年的滚珠瓶经验，可根据客户要求设计，开模、生产、产品格调高雅，密封性好。凭借先进的生产技术及严格品质管理体系，产品远销欧美、中东、东南亚等地区，赢得了国内外客户的赞誉和信任。

Shangyu ShengRuiSi Packaging Co Ltd. is located in Shangyu City, Zhejiang Province. where is about 120kms to Ningbo Port and 220kms to Shanghai Port. It is very convenient!

SRS PACKAGING is specialized in manufacturing roll on bottle/Roller Bottle, include plastic roll on bottle, glass roll on bottle. Our technical team with 12 years experience for roll on bottle. we can produce as per clients' designs and samples. Elegant pattern and perfect sealing capability! Relying on advanced technology and strict quality management system, our products are well being exported to America, Europe, Middle-East and Southeast Asia markets. High-grade quality and good service have gotten the recognition and trust of clients from domestic and abroad.



### 资质 证书 Certifications



## 生产流程

## Production Process



▲ 产品研发-R&D

公司拥有一支高素质、高技术的研发团队。有着多年化妆品包材行业经验的我们，不断分析市场及客户的需求，创造出高端、时尚、环保的产品。

We have a high-quality, high-tech R&D team. With many years of experience in cosmetics packaging industry, we keep working on analyzing the market and customers' needs to create high-end, fashionable, environmentally friendly products.




▲ 注塑-Injection



▲ 包装-Packing




▲ 真空测试-Vacuum test



▲ 自动机-Automatic machine



▲ 印刷-Printing



▲ 仓库-Warehouse

产品研发  
R&D



模具设计  
Design Mold



模具制造  
Making Mold



注塑  
Injection



喷涂  
Coating



印刷  
Printing



全检  
100% inspection



成品入库  
Warehousing

# 精华、护理软管 / Essence, Personal Care Tubes



管型 Ref. 1914T-1975C  
管径 Dia.(mm) 19



管型 Ref. 1927T-LS19006  
管径 Dia.(mm) 19



管型 Ref. 1601ST-LS16002  
管径 Dia.(mm) 16



管型 Ref. 2509T25C01  
管径 Dia.(mm) 25



管型 Ref. 2509T-2577C  
管径 Dia.(mm) 19/25



管型 Ref. 2501ST-LS25012  
管径 Dia.(mm) 25 **PMMA**



管型 Ref. 1912T-LS19005  
管径 Dia.(mm) 16/19



管型 Ref. 1917T-1962C  
管径 Dia.(mm) 19/22/25



管型 Ref. 2201T-2260C  
管径 Dia.(mm) 22



管型 Ref. 2202ST-LS22005  
管径 Dia.(mm) 22



管型 Ref. 2513T-LS25010  
管径 Dia.(mm) 25 **PMMA**



管型 Ref. 1911T-1667C  
管径 Dia.(mm) 19/22/25/30



管型 Ref. 2201T-2265C  
管径 Dia.(mm) 19/22



管型 Ref. 1906ST-LS19019  
管径 Dia.(mm) 19



管型 Ref. 1901ST-LS19022  
管径 Dia.(mm) 19



管型 Ref. 2502ST-2510C  
管径 Dia.(mm) 25/30



管型 Ref. 2209T-LS22004  
管径 Dia.(mm) 22/25



管型 Ref. 2201ST-1919C  
管径 Dia.(mm) 19/22



## 眼霜、彩妆 / Eye Cream, Makeup



管型 Ref.  
1911T-1968C  
管径 Dia.(mm)  
19/22/25



管型 Ref.  
2503T-1906C  
管径 Dia.(mm)  
16/19/22/25



管型 Ref.  
1603T-1606C  
管径 Dia.(mm)  
16/19/22/25



管型 Ref.  
1603T-1360C  
管径 Dia.(mm)  
13/16



管型 Ref.  
1603T-1605C  
管径 Dia.(mm)  
13/16/19/22/25/35



管型 Ref.  
1614T-1614C  
管径 Dia.(mm)  
16/19



管型 Ref.  
1924T-1915C  
管径 Dia.(mm)  
19



管型 Ref.  
1612T-TNS67-1663C  
管径 Dia.(mm)  
16/19



管型 Ref.  
1930T-1918C  
管径 Dia.(mm)  
19



## 唇部护理 / Lipstick Tubes



管型 Ref.  
1906T-1905C  
管径 Dia.(mm)  
16/19



管型 Ref.  
2501T-2576C  
管径 Dia.(mm)  
25  
2 in 1 lipstick



管型 Ref.  
1934T-TNS84+1903C  
管径 Dia.(mm)  
19  
TPE lipstick



管型 Ref.  
1613T-1666C  
管径 Dia.(mm)  
16



管型 Ref.  
1916T-1982C  
管径 Dia.(mm)  
19



管型 Ref.  
1907T-1904C  
管径 Dia.(mm)  
16/19



管型 Ref.  
2501T-2504C  
管径 Dia.(mm)  
19/25/30



管型 Ref.  
1901T-1993C  
管径 Dia.(mm)  
19



管型 Ref.  
1901T-1974C  
管径 Dia.(mm)  
19-55



## ! 手霜软管 / Hand Cream Tubes



管型 Ref.  
4001T-LS40005  
管径 Dia.(mm)  
40/50



管型 Ref.  
3504T-3589C-3590C  
管径 Dia.(mm)  
35



管型 Ref.  
4501T-LS40019  
管径 Dia.(mm)  
35/45



管型 Ref.  
3518T-3518C-3517C  
管径 Dia.(mm)  
35



管型 Ref.  
3507ST-LS22007  
管径 Dia.(mm)  
35



管型 Ref.  
4032T-4097C  
管径 Dia.(mm)  
40



管型 Ref.  
2501T-1983C  
管径 Dia.(mm)  
19/22/25



管型 Ref.  
4026T-LS40054  
管径 Dia.(mm)  
40



管型 Ref.  
3504T-LS35020  
管径 Dia.(mm)  
19/35/40



管型 Ref.  
5004T-5063C  
管径 Dia.(mm)  
35/40/45/50



管型 Ref.  
3521T-3566C  
管径 Dia.(mm)  
19/25/30/35/40/45/50



管型 Ref.  
3521T-3565C  
管径 Dia.(mm)  
19/25/30/35/40/45/50



管型 Ref.  
3504T-LS35024  
管径 Dia.(mm)  
35/38/40



管型 Ref.  
3021T-3084C  
管径 Dia.(mm)  
30



管型 Ref.  
3002T-3010C  
管径 Dia.(mm)  
30



管型 Ref.  
2516T-2583C  
管径 Dia.(mm)  
25/40



管型 Ref.  
2511T-LS25006  
管径 Dia.(mm)  
25/30/40



管型 Ref.  
2512T-LS25007  
管径 Dia.(mm)  
25



## ! 异形管 / Shaped Tubes



管型 Ref. 3526T-3515C  
管径 Dia.(mm) 30/35



管型 Ref. 3526T-LS35034  
管径 Dia.(mm) 30/35



管型 Ref. 3520T-3582C  
管径 Dia.(mm) 35



管型 Ref. 4007ST-LS40043  
管径 Dia.(mm) 40



管型 Ref. 4006ST-LS40061  
管径 Dia.(mm) 40



管型 Ref. 3509ST-LS35035  
管径 Dia.(mm) 35



管型 Ref. 3507T-3506C  
管径 Dia.(mm) 30/35/40/45/50



管型 Ref. 3501ST-LS35015  
管径 Dia.(mm) 35



管型 Ref. 3502ST-LS35014  
管径 Dia.(mm) 35



管型 Ref. 5001ST-LS50007  
管径 Dia.(mm) 50



管型 Ref. 4025T-4091C  
管径 Dia.(mm) 40



管型 Ref. 3801ST-LS38002  
管径 Dia.(mm) 38



管型 Ref. 3524T-LS35028  
管径 Dia.(mm) 35/40



管型 Ref. 3503ST-LS35016  
管径 Dia.(mm) 30/35



管型 Ref. 3508ST-LS35031  
管径 Dia.(mm) 30/35



管型 Ref. 3020T-LS30018  
管径 Dia.(mm) 30/40



管型 Ref. 2206T-2263C  
管径 Dia.(mm) 22



管型 Ref. 3004ST-3086C  
管径 Dia.(mm) 30/40



# 洁面护理系列 / Facial Cleanser Tubes

 <p>管型 Ref. 4001T-4096C 管径 Dia.(mm) 40</p> 	 <p>管型 Ref. 4002T-LS40063 管径 Dia.(mm) 40</p> 	 <p>管型 Ref. 6001T-5061C 管径 Dia.(mm) 60</p> 	 <p>管型 Ref. 3501T-3575C 管径 Dia.(mm) 22-60</p> 	 <p>管型 Ref. 5501T-5070C 管径 Dia.(mm) 19-55</p> 	 <p>管型 Ref. 4001T-4081C 管径 Dia.(mm) 30-60</p> 
 <p>管型 Ref. 5001T-5076C 管径 Dia.(mm) 50</p> 	 <p>管型 Ref. 35T01 管径 Dia.(mm) 35 One-Piece Tube</p> 	 <p>管型 Ref. 4031T-LS40066 管径 Dia.(mm) 40</p> 	 <p>管型 Ref. 3501T-3502C 管径 Dia.(mm) 35/40</p> 	 <p>管型 Ref. 4018T-4089C 管径 Dia.(mm) 35/40/50/55</p> 	 <p>管型 Ref. 3519T-3581C 管径 Dia.(mm) 35/40/50 Snap on</p> 
 <p>管型 Ref. 4023T-LS40060 管径 Dia.(mm) 40</p> 	 <p>管型 Ref. 3504T-3080C 管径 Dia.(mm) 30/35/40</p> 	 <p>管型 Ref. 3523T-LS35027 管径 Dia.(mm) 35</p> 	 <p>管型 Ref. 4002T-4002C 管径 Dia.(mm) 30/35/40</p> 	 <p>管型 Ref. 3501T-LS35001 管径 Dia.(mm) 25/35/45</p> 	 <p>管型 Ref. 4002T-3075C 管径 Dia.(mm) 30/35/40</p> 



管型 Ref. 3501T-LS40057  
管径 Dia.(mm) 35/40



管型 Ref. 4501T-LS40052  
管径 Dia.(mm) 40/45



管型 Ref. 3012T-3007C  
管径 Dia.(mm) 30/40/50  
Twist on/off



管型 Ref. 4028T-4095C  
管径 Dia.(mm) 40



管型 Ref. 4012T-4010C  
管径 Dia.(mm) 40



管型 Ref. 3001T-3085C  
管径 Dia.(mm) 30  
Twist on/off

## 功能管系列 / Functional Applicators



管型 Ref. 1605T-LS16003  
管径 Dia.(mm) 16/19



管型 Ref. 3019T-3077C  
管径 Dia.(mm) 30  
Snap on



管型 Ref. 22045T-LS22006  
管径 Dia.(mm) 22



管型 Ref. 5001T-4086C  
管径 Dia.(mm) 40/50



管型 Ref. 3007T-LS30011  
管径 Dia.(mm) 30



管型 Ref. 4504T-4568C  
管径 Dia.(mm) 45  
Tamper-proof

## 次抛、一次性 / Disposable Tubes



管型 Ref. 3517T-TNS73-3584C  
管径 Dia.(mm) 35



管型 Ref. 40115T-LS40065  
管径 Dia.(mm) 40



管型 Ref. 4018T-LS40032  
管径 Dia.(mm) 40



管型 Ref. 1301T  
管径 Dia.(mm) 13



管型 Ref. 2001T  
管径 Dia.(mm) 20



管型 Ref. 1609T  
管径 Dia.(mm) 13/16/19

# 泵头管系列 / Pump Tube Series



管型 Ref.  
3504T-3591C  
管径 Dia.(mm)  
30/35

管型 Ref.  
2501T-2567C  
管径 Dia.(mm)  
25

管型 Ref.  
1914T-1985C  
管径 Dia.(mm)  
19



管型 Ref.  
3018T-LS30010  
管径 Dia.(mm)  
30 **Snap on**

管型 Ref.  
3018T2564C  
管径 Dia.(mm)  
19/25/30/35

管型 Ref.  
3013T-3073C  
管径 Dia.(mm)  
30



管型 Ref.  
3527T35C02  
管径 Dia.(mm)  
35 **Snap on**

管型 Ref.  
3511T35C01  
管径 Dia.(mm)  
35

管型 Ref.  
4018T-LS40062  
管径 Dia.(mm)  
40/50

# 亚克力、竹木、铝盖 / PMMA, Wooden Caps



管型 Ref.  
4001T-4079C  
管径 Dia.(mm)  
40

管型 Ref.  
4501T-4569C  
管径 Dia.(mm)  
45

管型 Ref.  
4002T-LS35009  
管径 Dia.(mm)  
40



管型 Ref.  
5001T-5072C  
管径 Dia.(mm)  
50 **Bamboo**

管型 Ref.  
2505T-LS25002  
管径 Dia.(mm)  
19/22/25

管型 Ref.  
1901T-LS19011  
管径 Dia.(mm)  
19



管型 Ref.  
4501T-LS45001  
管径 Dia.(mm)  
40/45 **Wooden cap**

管型 Ref.  
3001T-3001C  
管径 Dia.(mm)  
13-55 **Aluminum cap**

管型 Ref.  
4002T-LS35008  
管径 Dia.(mm)  
30/35/40

## 特色材料及工艺 / Materials and Craft



**PCR Tube**

回收再生料 Post-consumer Resin



**Sugarcane Tube**

甘蔗料



**ABL/PBL Tube**

铝塑/全塑复合软管



**ALL PE PUMP**

**Mono-Material Tube**

单一材质软管



**Kraft or Nonwovens Included**

纸塑、无纺布材料



**Soft Touch** raw material or coating

绒面手感材料 (原料或光油)



**Heat Activated Thermochromic Ink Printing**

感温油墨



**Photochromic Ink Printing**

紫外线光感油墨



**Water Transfer Printing**

水转印盖子 For Cap



**Visible/Hidden QR Code Printing**



二维码印刷 (可见、隐形)

## 亚克力盖系列 / PMMA Cap Series




# PRODUCT DIAGRAM

## 五层塑料复合软管结构示意图



**特点：**具有良好的气体阻隔性能，能有效防止氧气和异味渗入及内容物香味和有效成分渗出。

5-Layer Tube Features: has good gas barrier performance, can effectively prevent the infiltration of hydrogen and peculiar smell.



# SPECIFICATION

## 尺寸容积参照表

圆形软管尺寸·容积参考 Round Tube Diameter /Capacity

直径 mm/D 长度 mm/L 容量 ml/C	Φ13	Φ16	Φ19	Φ20	Φ22	Φ25	Φ30	Φ35	Φ38	Φ40	Φ45	Φ50	Φ55	Φ60
1	40													
3	51	43												
5	65	55												
10		70	66	69										
15		100	85	88	72									
20		133	100	103	85	74								
25			110	113	100	84								
30					110	94	78							
35						104	85	75						
40						115	92	81						
50						135	106	91						
60							122	102	90					
70							136	112	100	98				
80							150	124	110	106				
90								135	120	114	86			
100								148	130	122	95			
110								162	145	128	102			
120									155	137	110			
130									164	145	115	110		
140									173	154	126	118		
150									181	162	134	120	100	
160										170	142	130	105	
170										178	150	137	110	
180										186	158	143	115	102
190											164	149	120	106
200											172	156	124	111
210											180	164	127	115
220											190	170	130	119
230												175	137	123
240												180	143	127
250												185	149	131
300													173	151
350													195	176
400													218	200
450														
500														

椭圆、超扁 Oval & Flat Tube Diameter/ Capacity

直径 mm/D 长度 mm/L 容量 ml/C	Φ19	Φ25	Φ30	Φ35	Φ40	Φ45	Φ50
5							
10	82	76					
20	105	81					
30		87	89				
35		100	90	80			
40		110	100	88			
50			110	98			
60			117	105	100		
70			127	125	120		
80			141	135	130	107	
100				143	135	110	
105					145	115	
110					155	120	113
120						124	118
125						132	125
140						142	130
150						165	148
150						172	158
170						180	172
180						194	180

软管直径固定,长度可酌量伸减。  
以上容量表仅供参考,可以根据客户需求在一定范围内做相应调整。

Tube diameter is set and length of tube can be customized. Specifications are for reference only and customized sizes are available.